

Motor kontroller

Produktkode: 223
Tilgjengelighet: 2

Pris: kr. 45,00



Short Description

L298N DC Stepper Motor Driver Module Dual H Bridge Control Board for Arduino

Beskrivelse

Description:

1.Using L298N made by ST company as the control chip,the module has such characteristics as strong driving

ability,low calorific value and strong anti-interference ability.

2.This module can use built-in 78M05 for electric work via a driving power supply part.But to avoid the damage

of the voltage stabilizing chip,please use an external 5V logic supply when using more than 12V driving voltage.

3.Using large capacity filter capacitor,this module can follow current to protect diodes,and improve the reliability

Specification:


1. Double H bridge drive
2. Chip L298N (ST NEW)
3. Logical voltage 5V
4. Drive voltage 5V-35V
5. Logical current 0mA-36mA
6. Drive current 2A(MAX single bridge)
7. Storage temperature -20 to +135
8. Max power 25W
9. Weight 30g
10. Size: 43*43*27mm

Package included:

1x New L298N DC Stepper Motor Driver Module Dual H Bridge Control Board for Arduino(not include the screws)

Pinout

Enable: HIGH (5v) aktivering



Motor 1 (positivo)

Motor 1 (Negativo)

(negativo) Motor 2

(positivo) Motor 2

12V jumper

Quitar si el voltaje de entrada es superior a 12V, maximo 35v

Entrada +V (max 35V*)

GND

Salida +5v* /

Entrada +5v**

*(con el 12V jumper colocado)

** (con el 12V jumper quitado)

Mas informacion en la pagina del producto

Motor 2 Act/Des

IN4

IN3

IN2

IN1

Motor 1 Act/Des

